



核查报告:

China Circuit Technology (Shantou) Corporation

汕头超声印制板公司

核查类型: S2A
合同号 CN/ CAN/301134

共创卓越管理



合同号	CN/CAN/301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	1/8

概览	
China Circuit Technology (Shantou) Corporation 汕头超声印制板公司	
SGS 分支机构	广州分公司
组织名称	China Circuit Technology (Shantou) Corporation 汕头超声印制板公司
组织地址（总部）	Northern Dongxia Road(21 Xingye Road), Shantou, Guangdong, China 中国广东省汕头市东厦路北段(兴业路 21 号)
管理体系代表	马志彬

核查标准			
标准	认可机构	认可的 SGS 办公室	有效员工人数
ISO14064-1:2018 ISO14064-3:2019（核查标准）	UNACC	广州分公司	840
证书范围			
Manufacturing of Printed Circuit Boards 印制电路板的制造			
认证范围覆盖到的场所			
场所名称及地址		认证范围（按标准）	
China Circuit Technology (Shantou) Corporation 汕头超声印制板公司 Northern Dongxia Road(21 Xingye Road), Shantou, Guangdong, China 中国广东省汕头市东厦路北段(兴业路 21 号)		Manufacturing of Printed Circuit Boards 印制电路板的制造	

核查组组长及核查信息			
核查组长	Rubby Wang 王艳如 (A)		
核查组员	/		
其他参与成员（姓名及角色）	Alice Qiao 乔浩宇/实习审核员		
核查日期	2024.07.08-2024.07.10		
对于整合核查，确认客户管理体系的实际整合水平。		☒ 不适用	☒ 低 ☐ 高

合同号	CN/CAN/301134	报告日期	2024.07. 10	核查类型	S2A		
保密	文件名	GS0304A	版本号	2a	页码	2/8	

1. 核查目的

本次核查/访问的目的

- 确定管理体系或其部分与核查准则的符合性
- 确定管理体系确保客户满足适用的法律、法规及合同要求的能力。(注：管理体系认证核查不是合规性核查。)
- 确认组织的管理体系是否满足组织能实现其预期目标的能力。
- 适用时，识别管理体系的潜在改进区域。

注意事项

核查范围、核查日期、核查地址参见核查计划（任何变更参见核查报告）。

核查报告包含管理体系满足适用要求和实现预期结果的能力的总结。

此份核查报告是保密的，其发放范围仅限于核查组、核查出席人员、客户代表、SGS 办公室，以及可能会被认可机构、认证行政管理机构或者任何其他监管机构抽查。核查报告的发放符合 SGS 的保密政策，相关信息请参见以下链接 www.sgs.com/en/privacy-at-sgs

基于有限核查时间内能获取到的信息，核查采用抽样方法进行。核查方法应包括（但不限于）面谈、对过程和活动进行观察、审查文件和记录。

2. 总结和结论

核查结论

基于本次核查的结果，核查组对于被认证组织的管理体系认证的推荐性意见为：

☒ 授予认证	☐ 保持认证	☐ 更新认证
☐ 证书变更	☐ 待定	☐ 暂停认证

保持认证以不符合项的处理符合要求为条件

核查总结

管理体系文件展现出和核查标准是相符合的，并且提供了充分的架构以支持管理体系的 实施和维护。	☒ 是	☐ 否
组织的管理体系对于达成组织的目标和实现其适用的各标准的预期结果是有效的。	☒ 是	☐ 否
组织已证实其管理体系在满足适用的法律、法规和合同要求方面的能力得到有效实施和 监控。	☒ 是	☐ 否
组织已证实适当的关键绩效指标和目标已建立和跟进，并且对其达成状况实施监控。	☒ 是	☐ 否
内部核查程序已全面实施且有效，成为维护和改善管理体系的工具。	☒ 是	☐ 否
管理评审过程能够确保管理体系的持续适宜性、充分性和有效性。	☒ 是	☐ 否
在核查过程中，组织的管理体系总体上符合核查标准的要求。	☒ 是	☐ 否

识别的不符合项数量: 0 严重 0 轻微

合同号	CN/CAN/ 301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	3/8

管理体系核查报告

组织对以前识别的不符合项 的纠正措施是有效的。	☒ 是	☐ 否
其他相关问题已解决。	☒ 是	☐ 否
核查范围是否基于本次核查更新？	☒ 是	☐ 否
核查目的已实现。	☒ 是	☐ 否
核查计划已按计划完成。	☒ 是	☐ 否
核查策划方案是充分的。	☒ 是	☐ 否
其他相关问题已解决。	☒ 是	☐ 否

3. 上一次核查发现点

上一次的管理体系核查结果已被审阅，特别是当有不符合项时，其纠正和预防措施已被有效实施。当上一次的管理体系没有充分识别不符合项（或第一阶段核查发现点）时，应在本次不符合项部分提出。

上一次的管理体系核查结果已被审阅，特别是当有不符合项时，其纠正和预防措施已被有效实施。当上一次的管理体系没有充分识别不符合项（或第一阶段核查发现点）时，应在本次不符合项部分提出。

4. 不符合项

详见 GP5613 FINDINGS OVERVIEW

对于严重不符合项	
纠正（包括原因分析）应马上开始实施，客户应在 30 天内递交 SGS 相关的整改措施计划，SGS 将在 90 天内安排一次跟踪核查来确认纠正措施的有效性。认证决定将基于跟踪核查的结果执行。	
SGS 跟进访问以确认所采取的行动（90 天内）（或）	不适用 ☒
整改措施及其支持性证据递交 SGS 核查员以便关闭不符合项（90 天内）。	不适用 ☒
对于轻微不符合项	
对于轻微不符合项，组织应给出整改措施（包括原因分析），整改措施的有效性将在下次核查时予以跟踪（适用于所有核查类型）。	
详见 GP5613 FINDINGS OVERVIEW	
措施计划被核查员接收且被确认符合要求（适用于核查卷宗审批过程含有认证决定时）	☐
措施计划应在 90 天内提供给 SGS 进行评审（适用于核查卷宗审批过程含有认证决定时）	☐
本次核查无需向 SGS 提供措施计划，将在下次核查时予以跟踪（适用于核查卷宗审批过程不含认证决定时）	☒

组织的整改过程应该包含识别出的不符合项，针对不符合项进行根本原因分析，以及根据管理体系要求制定对应的整改计划，以防止不符合项的再发生，并保留相关记录。

当有更加严格的限制性要求如证书有效期到期时，原截止期限应相应更新。

5. 观察项及改进机会

合同号	CN/CAN/ 301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	4/8

详见 GP5613 FINDINGS OVERVIEW

6. 特定要求

是否有重大变更？ ☐ 是 ☒ 否

备注（需要时）

组织的认证声明是否是精确的且符合 SGS 管理规则，对于认证文件和标志的使用也进行了有效的管理？ ☒ 不适用 ☐ 是 ☐ 否

备注（需要时）

7.Significant Verification Trails Followed 主要核查思路

The specific processes, activities and functions reviewed are detailed in the Verification Planning Matrix and the Verification Plan. In performing the verification, various verification trails and linkages were developed, including the following primary verification trails, followed throughout. 经评审过的特定的过程、活动和功能详细记录在核查策划矩阵图和核查计划上。在本次核查中，多种的核查思路及贯穿方法被采用，包括以下记录的主要核查路径。

Verification approach 核查方法

SGS's approach is risk-based, drawing on an understanding of the risks associated with reporting GHG emissions information and the controls in place to mitigate these. Our examination includes assessment of evidence relevant to the amounts and disclosures in relation to the organization's reported GHG emissions

SGS 的方法是基于风险，理解所报告的温室气体排放信息相关的风险并加以控制，从而减轻风险。我们的检查包括评估与排放量有关的证据和组织温室气体排放量的披露。

We plan and perform our work to obtain the information, explanations and evidence that we considered necessary to provide a reasonable level of assurance that the GHG emissions for the REPORT PERIOD are fairly stated.

SGS 计划并执行工作来获取必要的信息、解释和证据，以提供保证等级，确保能公正地陈述在报告期内的责任方的温室气体排放。

We conduct our verification with regard to the GHG statement of GHG Report of the RESPONSIBLE PARTY which includes assessment of GHG information system and reporting plan/protocol. This assessment includes the collection of evidence supporting the reported data, and checking whether the provisions of the protocol reference, are consistently and appropriately applied.

SGS 核查责任方以温室气体报告的方式提供的温室气体声明，包括评估温室气体信息系统和报告计划或协议。这次评估包括收集用以支持所报数据的证据，以及检查所参考的协议的条款是否一致地和适当地应用。

责任方提供的温室气体声明相关的信息：

GHG 程序文件：温室气体盘查程序

GHG 间接排放评价证据：重大间接排放评价表

GHG 清册：温室气体盘查工具表-

GHG 报告：GHG 温室气体盘查报告

8. Scope of certification 认证范围

合同号	CN/CAN/ 301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	5/8

Boundary (Responsible party) 组织边界（责任方）	Northern Dongxia Road(21 Xingye Road), Shantou, Guangdong, China 中国广东省汕头市东厦路北段(兴业路 21 号)
Report period 报告期	2023.01.01~2023.12.31
Approach for organizational boundary 组织边界合并方法:	☒ Operational control approach 营运控制权 ☐ Financial control approach 财务控制权 ☐ Equity share 股权份额
Types of GHGs 温室气体种类	CO2, CH4, N2O, HFCs, PFCs, SF6, NF3 二氧化碳、甲烷、氧化亚氮、氢氟碳化物、全氟碳化物、六氟化硫、三氟化氮 是否盘查其他 GHGs: ☒ 否 ☐ 是, 说明:

9.Current verification findings and conclusions 本次核查发现点及结论

The RESPONSIBLE PARTY provided the GHG statement based on the requirements of ISO14064-1:2018 that total emission **35,923.64** tonnes of CO₂e in the organization boundary for the REPORT PERIOD.
责任方提供了基于 ISO 14064-1:2018 要求的温室气体声明，声明在组织边界范围和报告期内共排放温室气体 **35,923.64** 吨二氧化碳当量。

Category 1 类别 1	137.77
Category 2 类别 2	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 14,947.99
Category 3 类别 3	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 955.71
Category 4 类别 4	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 19,882.17
Category 5 类别 5	☒ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☐ result of quantification 量化结果:
Category 6 类别 6	☒ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☐ result of quantification 量化结果:
Total emission 总排放量	35,923.64

注：多地址的温室气体排放信息详见《核查与声明信息确认表》。
报告中 生物质的产生的排放：无。

The verification opinion as below is issued by SGS after an independent verification for RESPONSIBLE PARTY’s GHG statement base on agreed reasonable assurance:
SGS 基于商定的合理保证等级对责任方的温室气体声明独立核查后，出具的核查意见是：

合同号	CN/CAN/ 301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	6/8

☒ Unmodified无保留意见

The GHG statement submitted by RESPONSIBLE PARTY is prepared in accordance with ISO 14064-1:2018 on GHG quantification and reporting, is a fair representation materially, the GHG data and information in statement are explicit and supported by adequacy and appropriate evidence.
责任方递交的温室气体声明是依据 ISO 14064-1:2018对温室气体量化和准备报告，在重要性方面表述公正，声明中的温室气体数据和信息的确实体现且有充分和适宜的证据予以支持。

☐ Modified保留意见

The GHG statement submitted by RESPONSIBLE PARTY has no material misstatement, however has some deficiencies which will prevent the issuance of unmodified verification opinion.
责任方递交的温室气体声明无重大错误，但存在缺陷而影响出具无保留的核查意见。

☐ Adverse opinion否定意见

The GHG statement submitted by RESPONSIBLE PARTY:
- has no material misstatement or
- there is insufficient or inappropriate evidence to support an unmodified or modified opinion.
责任方递交的温室气体声明：
-存在重大错误
-收集的证据无法支持出具保留意见或无保留意见

☐ Disclaiming the issuance of an opinion无法表示意见

It is unable to obtain sufficient and appropriate objective evidence to form an opinion as to whether the GHG statement submitted is presented fairly in accordance with ISO 14064-1:2018。
无法获取充分和适宜的证据来对责任方递交的温室气体声明是否依据 ISO 14061-1:2018 要求得到的公正表达形成意见。

10.Opening and Closing Meeting Attendance Record 首末次会议参会者记录

☒ See Verification Completion Record 见签到表

合同号	CN/CAN/ 301134	报告日期	2024.07.10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	7/8

© SGS Group Management SA – 2020 – All rights reserved - SGS is a registered trademark of SGS Group Management SA

WWW.SGS.COM

在您需要确信的时候

合同号	CN/ CAN/301134	报告日期	2024.07. 10	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	8/8



核查报告:
China Circuit Technology (Second Plant)
Corporation
汕头超声印制板（二厂）有限公司

核查类型: S2A
合同号 CN/ CAN/301135

共创卓越管理



合同号	CN/CAN/301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	1/8

概览	
China Circuit Technology (Second Plant) Corporation 汕头超声印制板（二厂）有限公司	
SGS 分支机构	广州分公司
组织名称	China Circuit Technology (Second Plant) Corporation 汕头超声印制板（二厂）有限公司
组织地址（总部）	12 Longjiang Road, Wanji Industrial Zone, Longhu district, Shantou city, Guangdong, China 汕头市龙湖区万吉工业区龙江路 12 号
管理体系代表	马志彬

核查标准			
标准	认可机构	认可的 SGS 办公室	有效员工人数
ISO14064-1:2018 ISO14064-3:2019（核查标准）	UNACC	广州分公司	1950
证书范围			
Manufacturing of Printed Circuit Boards 印制电路板的制造			
认证范围覆盖到的场所			
场所名称及地址		认证范围（按标准）	
China Circuit Technology (Second Plant) Corporation 汕头超声印制板（二厂）有限公司 12 Longjiang Road, Wanji Industrial Zone, Longhu district, Shantou city, Guangdong, China 汕头市龙湖区万吉工业区龙江路 12 号		Manufacturing of Printed Circuit Boards 印制电路板的制造	

核查组组长及核查信息	
核查组长	Rubby Wang 王艳如 (A)
核查组员	/
其他参与成员（姓名及角色）	Alice Qiao 乔浩宇/实习审核员
核查日期	2024.07.11-2024.07.13
对于整合核查，确认客户管理体系的实际整合水平。	☒ 不适用 ☒ 低 ☐ 高

合同号	CN/CAN/301135	报告日期	2024.07. 13	核查类型	S2A		
保密	文件名	GS0304A	版本号	2a	页码	2/8	

1. 核查目的

本次核查/访问的目的

- 确定管理体系或其部分与核查准则的符合性
- 确定管理体系确保客户满足适用的法律、法规及合同要求的能力。(注：管理体系认证核查不是合规性核查。)
- 确认组织的管理体系是否满足组织能实现其预期目标的能力。
- 适用时，识别管理体系的潜在改进区域。

注意事项

核查范围、核查日期、核查地址参见核查计划（任何变更参见核查报告）。

核查报告包含管理体系满足适用要求和实现预期结果的能力的总结。

此份核查报告是保密的，其发放范围仅限于核查组、核查出席人员、客户代表、SGS 办公室，以及可能会被认可机构、认证行政管理机构或者任何其他监管机构抽查。核查报告的发放符合 SGS 的保密政策，相关信息请参见以下链接 www.sgs.com/en/privacy-at-sgs

基于有限核查时间内能获取到的信息，核查采用抽样方法进行。核查方法应包括（但不限于）面谈、对过程和活动进行观察、审查文件和记录。

2. 总结和结论

核查结论

基于本次核查的结果，核查组对于被认证组织的管理体系认证的推荐性意见为：

☒ 授予认证	☐ 保持认证	☐ 更新认证
☐ 证书变更	☐ 待定	☐ 暂停认证

保持认证以不符合项的处理符合要求为条件

核查总结

管理体系文件展现出和核查标准是相符合的，并且提供了充分的架构以支持管理体系的实施和维护。	☒ 是	☐ 否
组织的管理体系对于达成组织的目标和实现其适用的各标准的预期结果是有效的。	☒ 是	☐ 否
组织已证实其管理体系在满足适用的法律、法规和合同要求方面的能力得到有效实施和监控。	☒ 是	☐ 否
组织已证实适当的关键绩效指标和目标已建立和跟进，并且对其达成状况实施监控。	☒ 是	☐ 否
内部核查程序已全面实施且有效，成为维护和改善管理体系的工具。	☒ 是	☐ 否
管理评审过程能够确保管理体系的持续适宜性、充分性和有效性。	☒ 是	☐ 否
在核查过程中，组织的管理体系总体上符合核查标准的要求。	☒ 是	☐ 否

识别的不符合项数量： 0 严重 0 轻微

合同号	CN/CAN/ 301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	3/8

管理体系核查报告

组织对以前识别的不符合项 的纠正措施是有效的。	☒ 是	☐ 否
其他相关问题已解决。	☒ 是	☐ 否
核查范围是否基于本次核查更新？	☒ 是	☐ 否
核查目的已实现。	☒ 是	☐ 否
核查计划已按计划完成。	☒ 是	☐ 否
核查策划方案是充分的。	☒ 是	☐ 否
其他相关问题已解决。	☒ 是	☐ 否

3. 上一次核查发现点

上一次的管理体系核查结果已被审阅，特别是当有不符合项时，其纠正和预防措施已被有效实施。当上一次的管理体系没有充分识别不符合项（或第一阶段核查发现点）时，应在本次不符合项部分提出。

上一次的管理体系核查结果已被审阅，特别是当有不符合项时，其纠正和预防措施已被有效实施。当上一次的管理体系没有充分识别不符合项（或第一阶段核查发现点）时，应在本次不符合项部分提出。

4. 不符合项

详见 GP5613 FINDINGS OVERVIEW

对于严重不符合项	
纠正（包括原因分析）应马上开始实施，客户应在 30 天内递交 SGS 相关的整改措施计划，SGS 将在 90 天内安排一次跟踪核查来确认纠正措施的有效性。认证决定将基于跟踪核查的结果执行。	
SGS 跟进访问以确认所采取的行动（90 天内）（或）	不适用 ☒
整改措施及其支持性证据递交 SGS 核查员以便关闭不符合项（90 天内）。	不适用 ☒
对于轻微不符合项	
对于轻微不符合项，组织应给出整改措施（包括原因分析），整改措施的有效性将在下次核查时予以跟踪（适用于所有核查类型）。	
详见 GP5613 FINDINGS OVERVIEW	
措施计划被核查员接收且被确认符合要求（适用于核查卷宗审批过程含有认证决定时）	☐
措施计划应在 90 天内提供给 SGS 进行评审（适用于核查卷宗审批过程含有认证决定时）	☐
本次核查无需向 SGS 提供措施计划，将在下次核查时予以跟踪（适用于核查卷宗审批过程不含认证决定时）	☒

组织的整改过程应该包含识别出的不符合项，针对不符合项进行根本原因分析，以及根据管理体系要求制定对应的整改计划，以防止不符合项的再发生，并保留相关记录。

当有更加严格的限制性要求如证书有效期到期时，原截止期限应相应更新。

5. 观察项及改进机会

合同号	CN/CAN/ 301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	4/8

详见 GP5613 FINDINGS OVERVIEW

6. 特定要求

是否有重大变更？ ☐ 是 ☒ 否

备注（需要时）

组织的认证声明是否是精确的且符合 SGS 管理规则，对于认证文件和标志的使用也进行了有效的管理？ ☒ 不适用 ☐ 是 ☐ 否

备注（需要时）

7.Significant Verification Trails Followed 主要核查思路

The specific processes, activities and functions reviewed are detailed in the Verification Planning Matrix and the Verification Plan. In performing the verification, various verification trails and linkages were developed, including the following primary verification trails, followed throughout. 经评审过的特定的过程、活动和功能详细记录在核查策划矩阵图和核查计划上。在本次核查中，多种的核查思路及贯穿方法被采用，包括以下记录的主要核查路径。

Verification approach 核查方法

SGS's approach is risk-based, drawing on an understanding of the risks associated with reporting GHG emissions information and the controls in place to mitigate these. Our examination includes assessment of evidence relevant to the amounts and disclosures in relation to the organization's reported GHG emissions

SGS 的方法是基于风险，理解所报告的温室气体排放信息相关的风险并加以控制，从而减轻风险。我们的检查包括评估与排放量有关的证据和组织温室气体排放量的披露。

We plan and perform our work to obtain the information, explanations and evidence that we considered necessary to provide a reasonable level of assurance that the GHG emissions for the REPORT PERIOD are fairly stated.

SGS 计划并执行工作来获取必要的信息、解释和证据，以提供保证等级，确保能公正地陈述在报告期内的责任方的温室气体排放。

We conduct our verification with regard to the GHG statement of GHG Report of the RESPONSIBLE PARTY which includes assessment of GHG information system and reporting plan/protocol. This assessment includes the collection of evidence supporting the reported data, and checking whether the provisions of the protocol reference, are consistently and appropriately applied.

SGS 核查责任方以温室气体报告的方式提供的温室气体声明，包括评估温室气体信息系统和报告计划或协议。这次评估包括收集用以支持所报数据的证据，以及检查所参考的协议的条款是否一致地和适当地应用。

责任方提供的温室气体声明相关的信息：

GHG 程序文件：温室气体盘查程序

GHG 间接排放评价证据：重大间接排放评价表

GHG 清册：温室气体盘查工具表-

GHG 报告：GHG 温室气体盘查报告

8. Scope of certification 认证范围

合同号	CN/CAN/ 301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	5/8

管理体系核查报告

Boundary (Responsible party) 组织边界（责任方）	12 Longjiang Road, Wanji Industrial Zone, Longhu district, Shantou city, Guangdong, China 汕头市龙湖区万吉工业区龙江路 12 号
Report period 报告期	2023.01.01~2023.12.31
Approach for organizational boundary 组织边界合并方法:	☒ Operational control approach 营运控制权 ☐ Financial control approach 财务控制权 ☐ Equity share 股权份额
Types of GHGs 温室气体种类	CO2, CH4, N2O, HFCs, PFCs, SF6, NF3 二氧化碳、甲烷、氧化亚氮、氢氟碳化物、全氟碳化物、六氟化硫、三氟化氮 是否盘查其他 GHGs: ☒ 否 ☐ 是, 说明:

9.Current verification findings and conclusions 本次核查发现点及结论

The RESPONSIBLE PARTY provided the GHG statement based on the requirements of ISO14064-1:2018 that total emission **145,876.18** tonnes of CO₂e in the organization boundary for the REPORT PERIOD.

责任方提供了基于 ISO 14064-1:2018 要求的温室气体声明，声明在组织边界范围和报告期内共排放温室气体 **145,876.18** 吨二氧化碳当量。

Category 1 类别 1	363.15
Category 2 类别 2	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 66,926.29
Category 3 类别 3	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 2,900.31
Category 4 类别 4	☐ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☒ result of quantification 量化结果: 75,686.43
Category 5 类别 5	☒ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☐ result of quantification 量化结果:
Category 6 类别 6	☒ be determined as non-significant indirect emissions and be not quantified 属于非重大间接排放，可以不量化 ☐ result of quantification 量化结果:
Total emission 总排放量	145,876.18

注：多地址的温室气体排放信息详见《核查与声明信息确认表》。
报告年中 生物质的产生的排放：无。

The verification opinion as below is issued by SGS after an independent verification for RESPONSIBLE PARTY's GHG statement base on agreed reasonable assurance:
SGS 基于商定的合理保证等级对责任方的温室气体声明独立核查后，出具的核查意见是：

合同号	CN/CAN/ 301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	6/8

☒ Unmodified无保留意见

The GHG statement submitted by RESPONSIBLE PARTY is prepared in accordance with ISO 14064-1:2018 on GHG quantification and reporting, is a fair representation materially, the GHG data and information in statement are explicit and supported by adequacy and appropriate evidence.
责任方递交的温室气体声明是依据 ISO 14064-1:2018对温室气体量化和准备报告，在重要性方面表述公正，声明中的温室气体数据和信息的确实体现且有充分和适宜的证据予以支持。

☐ Modified保留意见

The GHG statement submitted by RESPONSIBLE PARTY has no material misstatement, however has some deficiencies which will prevent the issuance of unmodified verification opinion.
责任方递交的温室气体声明无重大错误，但存在缺陷而影响出具无保留的核查意见。

☐ Adverse opinion否定意见

The GHG statement submitted by RESPONSIBLE PARTY:
- has no material misstatement or
- there is insufficient or inappropriate evidence to support an unmodified or modified opinion.
责任方递交的温室气体声明：
-存在重大错误
-收集的证据无法支持出具保留意见或无保留意见

☐ Disclaiming the issuance of an opinion无法表示意见

It is unable to obtain sufficient and appropriate objective evidence to form an opinion as to whether the GHG statement submitted is presented fairly in accordance with ISO 14064-1:2018。
无法获取充分和适宜的证据来对责任方递交的温室气体声明是否依据 ISO 14061-1:2018 要求得到的公正表达形成意见。

10.Opening and Closing Meeting Attendance Record 首末次会议参会者记录

☒ See Verification Completion Record 见签到表

合同号	CN/CAN/ 301135	报告日期	2024.07.13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	7/8

WWW.SGS.COM

在您需要确信的时候

合同号	CN/ CAN/301135	报告日期	2024.07. 13	核查类型	S2A		
保密		文件名	GS0304A	版本号	2a	页码	8/8